

Veritas™ Desktop and Laptop Option 9.9

README

VERITAS™

Veritas Desktop and Laptop Option: README

The software described in this document is furnished under a license agreement and may be used only in accordance with the terms of the agreement.

Legal Notice

Copyright (c) 2024 Veritas Technologies LLC. All rights reserved. Veritas and the Veritas Logo are trademarks or registered trademarks of Veritas Technologies LLC or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

This Veritas product may contain third party software for which Veritas is required to provide attribution to the third party ("Third Party Programs"). Some of the Third Party Programs are available under open source or free software licenses. The License Agreement accompanying the Software does not alter any rights or obligations you may have under those open source or free software licenses. Please see the Third Party Legal Notice Appendix to this Documentation or TPIP ReadMe File accompanying this Veritas product for more information on the Third Party Programs.

This Veritas product may contain open source and other third party materials that are subject to a separate license. Please see the applicable Third Party Notice at <https://www.veritas.com/about/legal/license-agreements/>.

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Veritas Technologies LLC and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. VERITAS TECHNOLOGIES LLC SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, "Rights in Commercial Computer Software or Commercial Computer Software Documentation", as applicable, and any successor regulations. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Veritas Technologies LLC

2625 Augustine Drive

Santa Clara, California 95054, U.S.A

<http://www.Veritas.com/>

Contents

- Technical Support..... 4**
 - Contacting Technical Support..... 4
 - Licensing and registration..... 5
 - Customer Service 5
 - Support Agreement Resources..... 5
- What's New in DLO 9.9 6**
- Downloading Veritas DLO 7**
- Prerequisites for Installing Veritas DLO 8**
- Installing Veritas DLO..... 10**
 - Upgrading to Veritas DLO 9.9..... 11
- Installing the Desktop Agent on Mac 11**
- Upgrading the Desktop Agent on Mac..... 13**
- Known Issues 14**
- Known Issues in Mac Agent..... 16**
- Resolved Issues 17**

Technical Support

Technical Support maintains support centers globally. Technical Support's primary role is to respond to specific queries about product features and functionality. The Technical Support group also creates content for our online Knowledge Base. The Technical Support group works collaboratively with the other functional areas within the company to answer your questions in a timely fashion.

Our support offerings include the following:

- A range of support options that give you the flexibility to select the right amount of service for any size organization
- Telephone and/or Web-based support that provides rapid response and up-to-the-minute information
- Upgrade assurance that delivers software upgrades
- Global support purchased on a regional business hours or 24 hours a day, 7 days a week basis
- Premium service offerings that include Account Management Services

For information about our support offerings, you can visit our website at the following URL:

www.veritas.com/support

All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policy.

Contacting Technical Support

Customers with a current support agreement may access Technical Support information at the following URL:

www.veritas.com/support

Before contacting Technical Support, make sure you have satisfied the system requirements that are listed in your product documentation. Also, you should be at the computer on which the problem occurred, in case it is necessary to replicate the problem.

When you contact Technical Support, please have the following information available:

- Product release level
- Hardware information
- Available memory, disk space, and NIC information
- Operating system
- Version and patch level
- Network topology
- Router, gateway, and IP address information
- Problem description:
 - Error messages and log files
 - Troubleshooting that was performed before contacting Technical Support
 - Recent software configuration changes and network changes

Licensing and registration

If your product requires registration or a license key, access our technical support Web page at the following URL:

www.veritas.com/support

Customer Service

Customer service information is available at the following URL:

www.veritas.com/support

Customer Service is available to assist with non-technical questions, such as the following types of issues:

- Questions regarding product licensing or serialization
- Product registration updates, such as address or name changes
- General product information (features, language availability, local dealers)
- Latest information about product updates and upgrades
- Information about upgrade assurance and support contracts
- Advice about technical support options
- Nontechnical presales questions
- Issues that are related to CD-ROMs, DVDs, or manuals

Support Agreement Resources

If you want to contact us regarding an existing support agreement, please contact the support agreement administration team for your region as follows:

Worldwide (except Japan)

CustomerCare@veritas.com

Japan

CustomerCare_Japan@veritas.com

What's New in DLO 9.9

This release mainly includes:

- Security updates for third party components
- Support for macOS 14
- Major version upgrade for EOL components:
 - Amazon Corretto
 - Apache Tomcat
 - OpenSSL

Please refer [here](#) for the detailed list of Third-Party components.

Note: Users running DLO versions 9.7, 9.8, 9.8.2, and 9.8.3 are recommended to upgrade to the latest version DLO 9.9 (via Download Center or VxUpdate), since the Apache Tomcat 8.x present in these DLO versions has reached EOL. The Tomcat component upgrade to 10.x will not be supported via VxUpdate from any earlier DLO versions. Once upgraded to DLO 9.9 version, future Tomcat version upgrades can be performed using the VxUpdate.

Note: There are no new documents published for this release, the existing DLO 9.8 documentation still applies.

Supported Languages:

English, French, German, Italian, Japanese, Simplified Chinese, Spanish, Traditional Chinese.

Downloading Veritas DLO

To download Veritas DLO 9.9, perform the following:

1. Download the appropriate files into a temporary directory:
 - `Veritas_Desktop_and_Laptop_Option_9.9_XXXXXX_64-bit.zip`
where, XXXXXX is the build number.
2. To extract the files, double-click the `.zip` file.

This helps to create a number of files that include `x64.README` and `setup.exe`.

Prerequisites for Installing Veritas DLO

Item	Description
Domains and Active Directory	The DLO Administration Server, DLO Dedupe Server, DLO Edge Server, DLO IO Server and DLO Storage Locations must be in a Windows Domain or Active Directory. Computers running the Desktop Agent can be outside a Windows Domain or Active Directory, but they must authenticate with the domain or directory to access the DLO Administration Server or Storage Locations.
User privileges for installing and managing DLO	<p>Following are the accounts required for installing and managing DLO Components:</p> <p>Domain User or Domain Administrator account for:</p> <ul style="list-style-type: none"> • Veritas DLO Administration Server: This user should have local administrator privilege on DLO Administration Server machine, Storage Server, and SQL Server. This user should have read and write access to the registry on the DLO Administration Server machine. • Mindtree Storesmart Dedupe Server service: This user should have local administrator privilege on the DLO Administration Server machine. This account should be the same as DLO Administration Server service account. • SQL Server (instance): This user should have local administrator privilege on DLO Administration Server, SQL Server machine and Storage Server. • SQL Server Browser: This user should have local administrator privilege on the SQL Server machine. • Veritas DLO Web Server Service: This user should have local administrator privilege on DLO Administration Server machine. This account should be the same as DLO Administration Server service account. <p>Local System Account for:</p> <ul style="list-style-type: none"> • Veritas DLO Edge Server Service • Veritas DLO Maintenance Server <p>Domain User account for:</p> <ul style="list-style-type: none"> • Accessing Dedupe Storage Location. This low privilege domain user account is also known as "Dedupe Storage Location Access Credential" and will be used by the Desktop Agent to access the Dedupe Storage Location. A user account with administrator rights is not permitted to be configured as Dedupe Storage Location Access Credential account. The administrator needs to ensure that the password for this user account does not expire frequently. If the password expires, then reset the password for the domain user. This user should have the 'Allow log on locally' policy set in the domain controller group policy object.
User privileges for DLO Agents Users	<ul style="list-style-type: none"> • Impersonation privilege is required for the logged on user on the desktop agent machine for impersonating as the Dedupe Storage Location user in order to write the deduped data to the Dedupe Storage Location. • A local system account for the Volume Shadow copy service is required. This service should be up and running in order to provide backup statistics for generation of the Backup Status Report.
Database Selection	By default DLO installs its own instance of SQL Server 2017 Express. DLO can be manually configured to use an existing local SQL Server instance. The DLO Database Service requires minimum 6 GB hard disk space.

	<p>Note: Ensure to manually install the <i>Microsoft® SQL Server® 2017 Express Latest Cumulative Update</i> available here.</p> <p>For more information on the supported versions, refer the <i>Veritas DLO Software Compatibility List</i> document available here.</p> <p>Note: When you use an existing local or remote database instance, TCP/IP and named pipes must be enabled. Refer the link https://msdn.microsoft.com/en-us/library/ms191294.aspx.</p>
Firewalls	<p>DLO is designed to work in firewall environments. The DLO Desktop Agents can be installed on endpoints that are connected either over the corporate network or in the Backup Over Internet (BOI) mode using the private internet connection. The details of the port configuration for the DLO Server components and DLO Clients in a firewall environment are defined for the following three deployment scenarios:</p> <ul style="list-style-type: none"> • Non BOI Deployment: For organizations having endpoints that are always within the organization premises and are connected over the corporate network. • Exclusive BOI Deployment: For organizations having endpoints that are always outside the corporate network and connect only using internet connection. • Occasional BOI Deployment: For organizations having endpoints that are occasionally outside the organization premises, during which they connect using internet connection, but are otherwise within the organization premises connecting over the corporate network. <p>For details on configuring the ports for the specific deployments, refer the <i>Port Requirements for Veritas Desktop and Laptop</i> document available here.</p>
Certificates	<p>This is required for the Backup Over Internet (BOI) capability. In order to configure the BOI capability, an SSL certificate procured from a Trusted CA is a pre-requisite. This certificate is required for the Desktop Agents to communicate with the DLO Edge Server over a public URL. However, for product evaluation scenarios, an inbuilt self-signed certificate is provided in the DLO Installer package for validating the BOI capability.</p> <p>Note: It is recommended to use a SSL certificate procured from a Trusted CA when deploying in production.</p>
Remote Install Considerations	<p>For remote installation of the DLO Maintenance Server and DLO Desktop Agents:</p> <ul style="list-style-type: none"> • To push-install to a computer, you must enable certain items on the destination computer's Windows Firewall Exceptions list. You must enable the following items: <ul style="list-style-type: none"> ○ File and Printer Sharing ○ Windows Management Instrumentation (WMI) ○ Remote Service Management ○ Remote Registry Service <p>For more information, refer to the Microsoft Windows documentation. https://docs.microsoft.com/en-us/windows/</p> <ul style="list-style-type: none"> • To push-install to a computer that runs Symantec Endpoint Protection (SEP) version 11.0 or later, you must configure SEP to share files and printers. The file and printer sharing feature is turned off by default.
Other Considerations	<ul style="list-style-type: none"> • The latest service pack and windows updates should be installed, to be able to install the DLO components. <p>Note: OS KB articles and SQL related prerequisites required to support TLS 1.2, should be updated manually. TechNote created for this, is also available from the First screen of installer.</p>

	<ul style="list-style-type: none">• WMI service should be running on all machines where the DLO Server components are installed.• .NET 4.0 or above versions should be installed. http://www.microsoft.com/en-in/download/details.aspx?id=17718 <p>Note: On Windows 2016 Server, it is not mandatory to install .NET 4.0 since .NET 4.6 is installed by default in Windows 2016 Server.</p>
--	--

Installing Veritas DLO

The installation package is used to install a new DLO Administration Server and other required components of Veritas DLO 9.9 For instructions, refer to the *Veritas Desktop and Laptop Option Quick*

Reference Guide for Installation and Configuration and Veritas Desktop and Laptop Option Administrator's Guide document available [here](#).

Upgrading to Veritas DLO 9.9

DLO supports upgrades from the following previous versions:

- Veritas DLO 9.8.3
- Veritas DLO 9.8.2
- Veritas DLO 9.8
- Veritas DLO 9.7

Considerations before Upgrading:

It is recommended to backup the DLO and Dedupe Database (.ldf and .mdf files) before the upgrade.

To upgrade from a supported version of DLO to Veritas DLO 9.9, follow these steps:

1. Run **setup.exe** to start the installation wizard.
2. Click **Next**.
3. Read the license agreement, and if you accept the terms, select **I accept the terms in the license agreement**.
4. Click **Next**.
5. Proceed with the installation.
6. When the installation is completed, click **Finish**.

Desktop Agent Upgrade Recommendations

It is recommended to upgrade the Desktop Agents as soon as the DLO Administration Server is upgraded.

Installing the Desktop Agent on Mac

Users with administrator rights can install the Desktop Agent. After the Desktop Agent is installed on a Mac desktop, anyone who logs on to that desktop can use the Desktop Agent. The logged on user will only have access to DLO backup files associated with the logged on account.

When the Mac Desktop Agent is installed on a computer that is not in a domain, and when you launch the Desktop Agent for the first time, you are prompted to enter the user name, password, and domain. Provide the domain user credentials.

Prerequisites

Complete the following tasks before installing the Desktop Agent on a Mac machine.

1. Install and configure DLO Administration Server on a Windows server machine.
2. The DLO administrator must ensure that the TCP/IP protocol is enabled for the DB instance, and the port number is set.
3. Irrespective of the firewall state in the DB server (ON or OFF), the administrator must enter the DB port in **SQL Server Configuration Manager > SQL Server Network Configuration > "Protocols for <Instance name>" > TCP/IP Protocol Settings > TCP Port**.

Note: The default DB port is **1433**.

- a. If the firewall is ON in the DB server, then this TCP port should also be included in the firewall exception list.
4. Restart the DLO DB service after providing the DB port number.
5. In case a customized TCP Port is provided, then do the following on DLO Mac Agent once it is installed:
 - a. Open the `Agentconfiguration.plist` file located in `users/<username>/Applications/Veritas/DLO/.settings` folder.
 - b. Change the String value of the key `DBPort` from 1433 to the new value
 - c. Launch the DLO Mac Agent

Note: The default port to communicate with the DB Server is **1433**.

6. To verify the communication to DB server use Telnet. (Example, `telnet <IP> <port>.`)

To Install the Desktop Agent on Mac:

1. From the desktop on which you want to install the Desktop Agent, go to the desktop menu options, select **Finder**.
2. Select **Go > Connect to Server**.
3. In the **Server Address** field, type the network address of DLO Server using one of the following formats.
 - **smb://IPAddress/**
 - **smb://DNSname/**
4. Click **Connect**.

Note: You can also type the server address along with the share name.
`smb://IPAddress/DLOMacAgent.`

5. From the list of shared folders, open **DLOMacAgent** folder, copy the **setup.ini**, **Certificates folder** and the **installer package** for Mac to same location in your Mac machine.
6. Double-click the file **Veritas_DLO_Agent.pkg**.
7. On the Welcome screen, click **Continue**.
8. Read the license agreement and click **Continue**.
9. Click **Agree**.
10. The default installation path for Mac is: **/Applications**. To install the Desktop Agent in an alternate location, click the **Change Install Location** button, and do one of the following:
 - Select **Install for all users** to install Desktop Agent in the default location
 - Select **Install on a specific disk** to install in any other disk other than the default startup disk. This option is useful when you want to install the Desktop Agent on any additional hard disks or hard drive partitions that exist on the local Mac machine.
11. Click **Continue**.
12. Click **Install**.
13. Once the installation is completed, click **Close**.

For more information about launching and configuring the Agent on Mac, refer to the *Veritas Desktop and Laptop Mac Getting Started Guide* available [here](#).

Upgrading the Desktop Agent on Mac

To upgrade the Desktop Agent on Mac, refer to the section [To install the Desktop Agent on Mac](#).

Known Issues

This section describes the known issues in DLO 9.9. The issues are listed based on the ET number (software bug tracking number).

ET Number /JIRA ID	Description	Workaround
DLO-4439	For DLO Client installed in workgroup, the workgroup credential prompt appears multiple times at client launch.	Not Applicable
DLO-4299	DLO installation fails during SQL installation, when the SQL account contains space character in its password.	Change the password of the existing SQL account and make sure that does not contain a space character, then proceed with the installation.
DLO-4262	After upgrading Desktop and Laptop Option to 9.7 or 9.8 new files backed up from DLO Agent 9.6 or below versions via BOI cannot be restored.	Find the workaround in the below link: https://www.veritas.com/content/support/en_US/article.100052985
DLO-3528	Could not able to add DLO Admin account in a one way trusted setup.	Not Applicable
DLO-3388	Incase of PST file attachment deletion we may observe Hash_id movement issues in the database which will result in the chunk clean up issue.	Not Applicable
3962843	Email Notifications are not supported with SMTP server configured using SSL with GSSAPI authentication.	Not Applicable
3947060	Backup Summary fields like Backup Completion is reflecting value '0' for some computers in the Backup Status report, History tab and Restore tab.	Fields like Backup Completion are not supported for computers with Windows desktop agent versions prior to DLO 8.0 SP3 and Mac agent versions prior to DLO 9.1. Refer to Understanding the Backup Status Report for more details. To resolve this issue, the agents need to be upgraded to the latest supported version.
3942638	Synchronization is not supported for configured PST files and configured Lotus Notes.	Not Applicable
3946759	Windows 10 Desktop Agent crashes while exiting when synchronized folders are configured for the user.	Not Applicable
3941231	Desktop Agents with Scheduled backups crash when frequency is updated	Not Applicable

	from 'Run every' to 'Run once' and vice versa.	
3941231	With scheduled backups, when editing backup schedule, files in the queue are backed up immediately the first time.	Not Applicable
3898325	Edge Service gets deleted when upgrading from some Symantec DLO versions to Veritas DLO versions	Re-install the Edge Server component after upgrading to the latest Veritas DLO version.
3901312	After failover in a DLO cluster, the Startup Type of Mindtree StoreSmart Dedupe Service, SQL Service and DLO Administration Service are changing from Automatic to Manual.	Update the Startup Type for the services as Automatic.
3903787	On a Japanese OS, Notification Properties window is seen in Japanese even after changing the language to English with the Change Language option.	Not Applicable
3901307	Desktop Agent does not work in BOI mode if the DLO Server is configured in clustered environment.	Refer to the Technote https://www.veritas.com/support/en_US/article.100040945
3763796	Any new Certificate push from the Server does not get updated for the Desktop Agents working in BOI mode	Desktop Agents need to connect over LAN at least once for the settings to be updated automatically. Alternatively, the Server certificates can be manually downloaded from the Web Restore page and copied to the Desktop Agent install location. For more details, refer to the Pre-requisites for Web restore section of the Administrator's Guide.
3921934	Desktop Agents of Symantec versions are going to disabled state after the Server is upgraded to any Veritas version.	Manually upgrade the agents to the latest Server version.

Known Issues in Mac Agent

ET Number /JIRA ID	Description	Workaround
DLO-4414	The custom backup selection path is overwriting the console profile backup path and agent backup selection path	Create profile backup selection instead of creating custom backup selection.
DLO-4397	Dragging and dropping the backup selection folder into the backup path is failing and creating duplicate and overwritten entries.	Not Applicable
DLO-3835	During the run time of the restore operation from the DLO admin console to the original computer or Mac client restore, the number of file counts restored will not be shown in the UI until the restore operation completes in BigSur OS.	Not Applicable
DLO-3821	Backup issues are observed once the SL migration is completed for the MAC client	Exit and relaunch the client and then continue with the operation.
3931685	Rollback restore is not honored during Staging to an unregistered Mac machine.	Destination Mac machine should be registered for honoring Rollback restore while Staging.
3923286	Backup completion field in Backup Status report exceeds 100% value	This is observed when the maintenance cycle and the backups are running simultaneously. This will be auto corrected with the next maintenance cycle.

Resolved Issues

JIRA ID	Description
DLO-4809	Enhanced fix for increased memory consumption observed in Maintenance Server causing system hangs or reboot.